



Noise Quality Bulletin of Rajasthan State in November-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of November-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No.	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72.6	68.5
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	67.2	65.4
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	68.5	68.9
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	66.1	68.1
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	76.5	60.2
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	58.9	41.2
7		Hope Circus, Tehsil & Distt Alwar	Commercial	76.2	65.4
8		General Hospital (Rajiv Gandhi Hospital),	Silence	65.7	54.6





Noise Quality Bulletin of Rajasthan State in November-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	64.8	51.6
10		RO RSPCB Office JasolFanta,Balotra.	Residential	55.6	55.3
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	77.6	63.2
12		CETP Balotra, Khed Road, Balotra.	Industrial	62	60.7
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	67.2	53.2
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	62.9	60.8
15		Kushalbagh Maidan, Near Police Thana,	Commercial	75.6	59.1
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	62.7	48.6
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	58.4	42
18		Nootan High Secondary School, Banswara	Silence	58.3	41
19	Baran	RIICO Office, Baran	Industrial	70.6	63.2
20		Circuit House	Residential	52.4	50.2
21		Government Hospital	Silence	66.2	66.2
22		PWD Office	Commercial	74.2	62.9
23		Fire Station,Baran-Kota Road,Baran	Commercial	71.3	67.3
24	Barmer	Govt. Hospital, Barmer	Silence	66.2	64.5
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	69	60.2
26		Near Railway Station Road Market, Barmer	Commercial	77.6	62.8
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	61.6	57.2
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	67.4	60.2



Noise Quality Bulletin of Rajasthan State in November-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	62.5	44.5
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	71.4	48.4
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	69.2	46.8
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	64.7	42.8
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	66.2	40.2
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	68.8	62.6
35		Azad Nagar, Sector - C, Bhilwara	Residential	54.8	60.3
36		Suchana Kendra, Bhilwara	Commercial	71.4	66.9
37		Mahatma Gandhi Hospital, Bhilwara	Silence	62.1	54.7
38		Kumbha Circle, Bhilwara	Commercial	70.9	72.7
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	68.1	42.4
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	71.6	45.2
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	72.8	54.3
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	70.2	44.8
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	72.8	46.1
44	Bikaner	Regional office, RSPCB	Industrial	62.1	59
45		Junagarh Circle	Commercial	71	61.8
46		IGNP Colony, Ganganagar Road	Residential	66.2	53.8
47		P.B.M. Hospital	Silence	65.8	56
48		Kanta Kathuriya Colony	Residential	67.7	60.4



Noise Quality Bulletin of Rajasthan State in November-2024



49	Bundi	Civil lines	Residential	65	62.6
50		DIC Office	Industrial	58.1	53.7
51		Government Hospital	Silence	62.4	55.1
52		Nagar Parishad	Commercial	72.5	53.4
53		Power House, BCR Industrial Area	Industrial	72.8	56.3
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	65.6	60.3
55		Gol PyauChauraha Chittorgarh	Commercial	75.2	67.9
56		Kumbha Nagar, near Home Guard Office	Residential	64.2	59.5
57		District Hospital Chittorgarh	Silence	61.4	60.7
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	57.6	53.7
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	ND	ND
60		Park inside Housing Board, Churu	Residential	ND	ND
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	ND	ND
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	ND	ND
63		Near Indramani Park, Churu	Commercial	ND	ND
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	59	50.2
65		Indra Colony, Dausa	Residential	59	59.8
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	59	53.5
67		Old Bus Stand, Dausa	Commercial	75.1	67.7
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	61.3	40.5
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	68.7	49.2
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	69.1	46.3
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	67.8	43.7
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	65.4	41.5



Noise Quality Bulletin of Rajasthan State in November-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	61.1	55.6
74		RIICO Office, Dungarpur	Commercial	64.2	56.5
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	57.7	45.8
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	60	57.6
77		Gap Sagar pal, Dungarpur	Commercial	66.2	57.1
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	62.3	60.4
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	60.8	57.7
80		Children Park, Durga Colony Ganganagar Road	Residential	53.5	50
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	62.7	60.8
82		Near Bombay Hospital,Hanumangarh	Silence	57.3	51.9
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	67	65.1
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	66.9	58.9
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	66.7	62.4
86		Science Park, Shastri Nagar	Residential	69.5	68.2
87		Gali No. 3, Raja Park	Commercial	69.7	66.4
88		Near Kotwali Thana, Chhoti Choupar	Commercial	74.1	73.3
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	67.5	62.8
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	66.4	62	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	74.3	63.7
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	57.8	63
93		Tikaram Paliwal Park,Jaisalmer	Residential	61	55.8
94		Near Jawahar hospital,Jaisalmer	Silence	49.9	40.6
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	70.9	62
96		Govt. Hospital, Jalore	Silence	66.7	62.9
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	50.5	50.7
98		Bus Stand, Jalore	Commercial	68.1	62.8
99		Circuit House Jalore (CAAQMS Site)	Commercial	64.4	52.7



Noise Quality Bulletin of Rajasthan State in November-2024



100	Jhalawar	RIICO, Near Office building	Industrial	89.7	62
101		Civil Lines, Near collectoratebungalow	Residential	60.2	49.9
102		Medical College, Near dean college	Silence	57.3	54.9
103		Veterinary Polyclinic, Near office building	Commercial	73.2	59.3
104		Bus Stand, Jhalawar	Commercial	82.7	58.3
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	ND	ND
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	ND	ND
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	ND	ND
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	ND	ND
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	ND	ND
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	46.5	43.4
111		Sojati Gate, Jodhpur	Commercial	50.8	48.1
112		BJS Colony, Near Soil conversion, Paota	Residential	46.2	43.8
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	45.8	42.9
114	Karauli	Circuit House, Ganesh Colony	Residential	53.1	50.6
115		District Industries Centre, Near Gad kaki Chowki	Industrial	57	53.1
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	63.2	58.8
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	58.9	55
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	61.2	54.6
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	61	52
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	60.3	56.4
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	75.2	59.1
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	66.7	58.4
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	68.1	64.7



Noise Quality Bulletin of Rajasthan State in November-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	58.8	54.5
125		Gandhi Chowk, Nagaur	Commercial	78.9	68.5
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	68.3	64.2
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	70.1	48.4
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	59	50.5
129	Pali	Near main gate of RSPCB	Industrial	57.1	65.7
130		At Bangur Hospital	Silence	54.3	59.7
131		At Circuit House	Residential	52.6	53.6
132		Near Town Hall, Nagar Parishad	Commercial	63	58.6
133		Bangur College (CAAQMS Site)	Silence	54.8	57.8
134	Pratapgarh	Bagwas Industrial Area	Industrial	72.2	63.9
135		Nagar Parishad Gate	Commercial	75.6	59.1
136		Bada Bagh Colony	Residential	70.6	64.6
137		District Hospital Pratapgarh	Silence	65.1	65.2
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	68.3	58.8
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	64.6	65.6
140		Kalalwati, Rajnagar	Residential	61.1	57.1
141		Krishna Nagar, Near Vidya Niketan School	Silence	64.9	61.5
142		Bus stand, Kankroli	Commercial	64.7	65.1
143		R.K. Hospital	Silence	61.7	65.9
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	54.8	52.1
145		RIICO Office Building, Kherda Industrial Area	Industrial	59.3	53.2
146		Head Post Office building & Passport Sewa Kendra	Commercial	61.7	54.8
147		Govt. General Hospital	Silence	59.8	57
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	57.1	51.7



Noise Quality Bulletin of Rajasthan State in November-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	58	57.7
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	62.6	62.5
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	72.7	65
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	63.3	58.7
153		Near Municipal Council Office, Sikar	Commercial	72.5	75.4
154	Sirohi	RIICO Industrial Area	Industrial	55.2	54.1
155		District Hospital	Silence	52.6	59.1
156		Near Collector House, Sirohi	Residential	53.7	56.6
157		Commercial area, near roadways bus stand, Sirohi	Commercial	56.7	61.3
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	67.4	61.3
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	60	50.9
160		Govt. Sr. Sec. School, Multipurpose	Residential	60.2	50.8
161		Gandhi Park, D Block	Residential	60.6	41.4
162		Ambedkar Circle, Sriganganagar	Commercial	59.3	41.5
163		Govt. Hospital, Suratgarh Road	Silence	59.1	49
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	74.6	62.8
165		Government Common Health Centre, Tijara.	Silence	72.3	45.2
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	70.4	41.6
167		Government Senior Secondary School, Tijara,	Residential	71.2	44.3
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.3	43.2
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	55.6	54.8
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	72.1	67.2
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	63	58.3
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	71.8	55.9
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	58.3	53.1



Noise Quality Bulletin of Rajasthan State in November-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	76.1	66.2
175		MB Hospital	Silence	66.2	63
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	60.3	51.3
177		BSNL Head office, Sector 4, Hiran Magri	Residential	74.1	58.3
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	57.1	55.8

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40