



# **Noise Quality Bulletin of Rajasthan State in October-2024**



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of October-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No.	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	78.5	67.2
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	68.1	59.8
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	62.3	65.1
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	59.8	58.7
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	71	58.6
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	46.7	38.8
7		Hope Circus, Tehsil & Distt Alwar	Commercial	71.4	62.8
8		General Hospital (Rajiv Gandhi Hospital),	Silence	63	52.3

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in October-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	64.8	61.6
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	60.7	49
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	64.2	63.8
12		CETP Balotra, Khed Road, Balotra.	Industrial	63	70.5
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	60.9	50.7
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	63.2	59.3
15		Kushalbagh Maidan, Near Police Thana,	Commercial	70.2	62.5
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	68.1	51.9
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	65.8	63.1
18		Nootan High Secondry School, Banswara	Silence	61.8	49.7
19	Baran	RIICO Office, Baran	Industrial	68.8	66.1
20		Circuit House	Residential	54.2	51.9
21		Government Hospital	Silence	69.5	66.5
22		PWD Office	Commercial	73.6	68.8
23		Fire Station,Baran-Kota Road,Baran	Commercial	71.8	60.8
24	Barmer	Govt. Hospital, Barmer	Silence	64.8	59
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	65.1	59.8
26		Near Railway Station Road Market, Barmer	Commercial	69	66.3
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	59.1	56.6
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	64.5	60

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	61.9	43.1
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	69.7	49.4
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	68.7	47.5
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	63.7	41.4
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	67.1	42.2
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	66.3	61.2
35		Azad Nagar, Sector - C, Bhilwara	Residential	63	54
36		Suchana Kendra, Bhilwara	Commercial	70.2	65.9
37		Mahatma Gandhi Hospital, Bhilwara	Silence	59.5	59.6
38		Kumbha Circle, Bhilwara	Commercial	73.4	70.5
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal/Tijara	Residential	66.7	41.3
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal/Tijara	Silence	72.2	43.9
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	71.1	52.7
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	69.9	42.3
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	70.6	44.5
44	Bikaner	Regional office, RSPCB	Industrial	59.9	55.7
45		Junagarh Circle	Commercial	68.3	72.1
46		IGNP Colony, Ganganagar Road	Residential	61.9	60.3
47		P.B.M. Hospital	Silence	66.1	61.2
48		Kanta Kathuriya Colony	Residential	61	58.9

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024



49	Bundi	Civil lines	Residential	62.3	57.5
50		DIC Office	Industrial	70.1	60.1
51		Government Hospital	Silence	68.7	65.2
52		Nagar Parishad	Commercial	72	67.4
53		Power House, BCR Industrial Area	Industrial	71.9	67.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	75.6	72
55		Gol PyauChauraha Chittorgarh	Commercial	73.7	73.1
56		Kumbha Nagar, near Home Guard Office	Residential	62.6	63.8
57		District Hospital Chittorgarh	Silence	64	57.2
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	69.5	65.9
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	ND	ND
60		Park inside Housing Board, Churu	Residential	ND	ND
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	ND	ND
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	ND	ND
63		Near Indramani Park, Churu	Commercial	ND	ND
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	60.4	52.6
65		Indra Colony, Dausa	Residential	58.4	54.2
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	62.8	55.6
67		Old Bus Stand, Dausa	Commercial	71.8	67.8
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil & Distt.-Dholpur	Residential	60.6	41.7
69		RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	70.5	48.6
70		Nagar Parishad Office, Ghantaghar Road, Tehsil & Distt.-Dholpur	Commercial	68.7	44.7
71		Govt. General Hospital, Tehsil & Distt.-Dholpur	Silence	66.1	41.2
72		Govt. Sr. Sec. School, Tehsil & Distt.-Dholpur	Silence	67.1	43.5

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024




73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	62.2	58.2
74		RIICO Office, Dungarpur	Commercial	65.8	59.4
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	59.6	52.6
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	64.8	62.5
77		Gap Sagar pal, Dungarpur	Commercial	69.4	56.7
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	59.6	56.6
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	61	53
80		Children Park, Durga Colony Ganganagar Road	Residential	62.9	40.1
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	62.2	48.3
82		Near Bombay Hospital,Hanumangarh	Silence	61.8	43.3
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	61.8	63
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	70.5	59.6
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	63.8	60.3
86		Science Park, Shastri Nagar	Residential	71.1	70.1
87		Gali No. 3, Raja Park	Commercial	65.9	65.4
88		Near Kotwali Thana, Chhoti Choupar	Commercial	81.4	79.3
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	65.6	67.6
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	63.9	60.5	
91	Jaisalmer	RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	76.6	63.2
92		Near Gandhi darshan, Hanuman Circle ,Jaisalmer	Commercial	62.9	57
93		Tikaram Paliwal Park,Jaisalmer	Residential	59.4	54.5
94		Near Jawahar hospital,Jaisalmer	Silence	51.2	39
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	73.8	65.6
96		Govt. Hospital, Jalore	Silence	70.9	62.6
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	53	53.9
98		Bus Stand, Jalore	Commercial	71.2	60.4
99		Circuit House Jalore (CAAQMS Site)	Commercial	47.2	48.2

**Signature valid**

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024



100	Jhalawar	RIICO, Near Office building	Industrial	60.7	57.8
101		Civil Lines, Near collectorate bungalow	Residential	60	51.5
102		Medical College, Near dean college	Silence	57.3	50.6
103		Veterinary Polyclinic, Near office building	Commercial	66.2	63.2
104		Bus Stand, Jhalawar	Commercial	67.7	60.3
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	ND	ND
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	ND	ND
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	ND	ND
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	ND	ND
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	ND	ND
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	58.4	53.2
111		Sojati Gate, Jodhpur	Commercial	65.3	62.7
112		BJS Colony, Near Soil conversion, Paota	Residential	54.3	52.8
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	55.8	51.4
114	Karauli	Circuit House, Ganesh Colony	Residential	54.7	49.9
115		District Industries Centre, Near Gad kaki Chowki	Industrial	57.7	53.3
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	64.3	55.2
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	59.6	56.7
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	60.8	54.1
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	71.6	62
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	67.6	60.3
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	72.8	62.8
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	62.5	54.8
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	69.9	60.5

Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	58.2	51
125		Gandhi Chowk, Nagaur	Commercial	75.2	63.7
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Aear	Industrial	71.6	59.9
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	52.3	47
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	56.8	50.2
129	Pali	Near main gate of RSPCB	Industrial	60.7	60
130		At Bangur Hospital	Silence	66.3	65.7
131		At Circuit House	Residential	52.6	56.3
132		Near Town Hall, Nagar Parishad	Commercial	69.7	62.1
133		Bangur College (CAAQMS Site)	Silence	66.4	59.6
134	Pratapgarh	Bagwas Industrial Area	Industrial	62.2	64.3
135		Nagar Parishad Gate	Commercial	62.2	66.3
136		Bada Bagh Colony	Residential	62	59.9
137		District Hospital Pratapgarh	Silence	55.9	53.3
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	58.8	53.1
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	67.9	55.7
140		Kalalwati, Rajnagar	Residential	59.7	67.4
141		Krishna Nagar, Near Vidya Niketan School	Silence	46.9	61.2
142		Bus stand, Kankroli	Commercial	64.7	57.6
143		R.K. Hospital	Silence	63.3	65.5
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	55	52.6
145		RIICO Office Building, Kherda Industrial Area	Industrial	58.7	54.6
146		Head Post Office building & Passport Sewa Kendra	Commercial	59.9	55.3
147		Govt. General Hospital	Silence	58.7	56.5
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	57.7	53.2

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved



# Noise Quality Bulletin of Rajasthan State in October-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	56.8	53.3
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	65.7	71.7
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	73.5	75.6
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	64.8	62.4
153		Near Municipal Council Office, Sikar	Commercial	71.8	85
154	Sirohi	RIICO Industrial Area	Industrial	64.3	57.6
155		District Hospital	Silence	68.1	64.2
156		Near Collector House, Sirohi	Residential	58.4	56.8
157		Commercial area, near roadways bus stand, Sirohi	Commercial	59.4	68
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	56.7	57.8
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	69.6	51.7
160		Govt. Sr. Sec. School, Multipurpose	Residential	64	53.9
161		Gandhi Park, D Block	Residential	62.6	47.5
162		Ambedkar Circle, Sriganganagar	Commercial	58.9	53
163		Govt. Hospital, Suratgarh Road	Silence	63.3	47.9
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	73.5	60.4
165		Government Common Health Centre, Tijara.	Silence	71.5	44.8
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	72.6	42.9
167		Government Senior Secondary School, Tijara,	Residential	69.7	43.4
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	70.6	45.5
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	65.9	59.6
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	77.5	68
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	75.9	63
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	69.3	59.6
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	63.6	62.6

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved





# Noise Quality Bulletin of Rajasthan State in October-2024



Sl. No.	Area	Category of Area / Zone	Day Time	Night Time
174	Udaipur	Nagar Nigam office, Town Hall	78.1	69.1
175		MB Hospital	67.7	55.3
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	76.5	60.8
177		BSNL Head office, Sector 4, Hiran Magri	75.8	60.2
178		RO office, F-470 Near UCCI, MIA, Madri,	68.3	59.8

**Note:** - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.  
ND: - Monitoring not done.

### Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

## Signature valid

Digitally signed by N. V. Jai  
Designation: Member Secretary  
Date: 2024.11.13 22:04:57 IST  
Reason: Approved