



Noise Quality Bulletin of Rajasthan State in **September-2025**



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of September-2025 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No.	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72.4	72.3
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	67.7	67.4
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	63	62.3
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	72.2	68.7
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	69	55.2
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	54.6	40.4
7		Hope Circus, Tehsil & Distt Alwar	Commercial	74.6	58.8
8		General Hospital (Rajiv Gandhi Hospital),	Silence	59.5	43.6





Noise Quality Bulletin of Rajasthan State in September-2025



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	55	51.5
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	64.4	42.7
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	74.5	73.6
12		CETP Balotra, Khed Road, Balotra.	Industrial	73.5	55.8
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	61.4	51.3
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	68.8	52.3
15		Kushalbagh Maidan, Near Police Thana,	Commercial	72.4	63.1
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	61.5	53.2
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	62.4	48.1
18		Nootan High Secndry School, Banswara	Silence	71.8	53.8
19	Baran	RIICO Office, Baran	Industrial	64.2	49.9
20		Circuit House	Residential	52	41.2
21		Government Hospital	Silence	75.1	50
22		PWD Office	Commercial	58.6	50.5
23		Fire Station,Baran-Kota Road,Baran	Commercial	58.5	50.4
24	Barmer	Govt. Hospital, Barmer	Silence	63.6	55.6
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	54.1	43.9
26		Near Railway Station Road Market, Barmer	Commercial	65.4	48.5
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	59.9	44.6
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	53.8	41.9



Noise Quality Bulletin of Rajasthan State in **September-2025**



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	59.3	40.5
30		Khadi Gramoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	69.3	42.2
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	65.2	44.4
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	67.3	41.2
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	63.3	41.8
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	68.8	63
35		Azad Nagar, Sector - C, Bhilwara	Residential	59.9	57.3
36		Suchana Kendra, Bhilwara	Commercial	69	63.4
37		Mahatma Gandhi Hospital, Bhilwara	Silence	65.4	60.3
38		Kumbha Circle, Bhilwara	Commercial	73.2	70.5
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	51.7	39.4
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	60.5	55.8
41		Central Market, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Commercial	70.4	51.3
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Residential	68.2	48.1
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	64	52.9



Noise Quality Bulletin of Rajasthan State in September-2025



44	Bikaner	Regional office, RSPCB	Industrial	59.7	65.4
45		Junagarh Circle	Commercial	70.4	67.8
46		IGNP Colony, Ganganagar Road	Residential	60.9	50.9
47		P.B.M. Hospital	Silence	65.9	64.5
48		Kanta Kathuriya Colony	Residential	60.3	40.7
49	Bundi	Civil lines	Residential	52.7	54.7
50		DIC Office	Industrial	63.2	61.6
51		Government Hospital	Silence	51.3	44.6
52		Nagar Parishad	Commercial	68.7	63.8
53		Power House, BCR Industrial Area	Industrial	74.1	65.7
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	61.2	58.8
55		Gol PyauChauraha Chittorgarh	Commercial	61.5	61
56		Kumbha Nagar, near Home Guard Office	Residential	59.6	57.4
57		District Hospital Chittorgarh	Silence	59	48.8
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	56.9	54.1
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	75.7	68.1
60		Park inside Housing Board, Churu	Residential	57.2	54.2
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	62.5	64.1
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	64	62.7
63		Near Indramani Park, Churu	Commercial	74.6	72.5



Noise Quality Bulletin of Rajasthan State in September-2025



64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	61.7	68.3
65		Indra Colony, Dausa	Residential	71.4	59.4
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	70.6	69
67		Old Bus Stand, Dausa	Commercial	72.5	66.5
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	63.8	41.3
69		RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	68.9	43.2
70		Nagar Parishad Office, Ghantaghar Road, Tehsil & Distt.-Dholpur	Commercial	71.2	51.3
71		Govt. General Hospital, Tehsil & Distt.-Dholpur	Silence	69.2	42.8
72		Govt. Sr. Sec. School, Tehsil & Distt.-Dholpur	Silence	63.2	40.6
73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	57.8	45.3
74		RIICO Office, Dungarpur	Commercial	64	51
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	60.2	52.6
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	56.3	47.9
77		Gap Sagar pal, Dungarpur	Commercial	65.2	56.7
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	63.7	58.7
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	57.3	53.8
80		Children Park, Durga Colony Ganganagar Road	Residential	51	43.5
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	64.2	54.9
82		Near Bombay Hospital,Hanumangarh	Silence	53.6	42.1



Noise Quality Bulletin of Rajasthan State in **September-2025**



83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	58.5	54.2
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	68.4	60.4
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	64.1	63.2
86		Science Park, Shastri Nagar	Residential	59.2	71.4
87		Gali No. 3, Raja Park	Commercial	59.3	62.9
88		Near Kotwali Thana, Chhoti Choupar	Commercial	69	71.8
89		Rooftop of Regional Office, RPCB, VKIA, Jaipur (North)	Industrial	61.2	67.3
90		RIICO Sitapura Office, RIICO Industrial Area, Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	66.1	66.2
91	Jaisalmer	RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	68.7	66.1
92		Near Gandhi darshan, Hanuman Circle, Jaisalmer	Commercial	63.2	62.3
93		Tikaram Paliwal Park, Jaisalmer	Residential	57.3	56.1
94		Near Jawahar hospital, Jaisalmer	Silence	52.7	49.2
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	61.4	64.5
96		Govt. Hospital, Jalore	Silence	68.1	68.5
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	62.4	53.7
98		Bus Stand, Jalore	Commercial	74	56
99		Circuit House Jalore (CAAQMS Site)	Commercial	57.8	54.8
100	Jhalawar	RIICO, Near Office building	Industrial	60.4	50.5
101		Civil Lines, Near collectorate bungalow	Residential	49.8	44.4
102		Medical College, Near dean college	Silence	53.7	47.1
103		Veterinary Polyclinic, Near office building	Commercial	68.1	50.3
104		Bus Stand, Jhalawar	Commercial	61.2	48.8



Noise Quality Bulletin of Rajasthan State in **September-2025**



105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	75.1	69.6
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	56.9	64.1
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	65.6	52.9
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	55	53.2
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	74.2	72.5
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	52.6	45.8
111		Sojati Gate, Jodhpur	Commercial	62.9	58.4
112		BJS Colony, Near Soil conversion, Paota	Residential	51.4	47.3
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	54.3	44.2
114	Karauli	Circuit House, Ganesh Colony	Residential	55.1	51.3
115		District Industries Centre, Near Gad kaki Chowki	Industrial	58.8	54
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	61.8	56.4
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	57.9	54.5
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	60.8	55
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	66.1	55.6
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	64	55.9
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	71.4	60.5
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	62.5	53.5
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	63.9	52.2



Noise Quality Bulletin of Rajasthan State in **September-2025**



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	59.4	50.3
125		Gandhi Chowk, Nagaur	Commercial	65.4	56.1
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Arear	Industrial	68.1	54.7
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	57.7	49.9
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	56.9	54.2
129	Pali	Near main gate of RSPCB	Industrial	59.6	66.1
130		At Bangur Hospital	Silence	59.6	59.1
131		At Circuit House	Residential	58.6	61.4
132		Near Town Hall, Nagar Parishad	Commercial	64.7	63.5
133		Bangur College (CAAQMS Site)	Silence	63.3	66.1
134	Pratapgarh	Bagwas Industrial Area	Industrial	57.7	54.2
135		Nagar Parishad Gate	Commercial	58.6	56.3
136		Bada Bagh Colony	Residential	62.1	54.5
137		District Hospital Pratapgarh	Silence	55.4	53.7
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	58.3	52
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
140		Kalalwati, Rajnagar	Residential	ND	ND
141		Krishna Nagar, Near Vidya Niketan School	Silence	ND	ND
142		Bus stand, Kankroli	Commercial	ND	ND
143		R.K. Hospital	Silence	ND	ND



Noise Quality Bulletin of Rajasthan State in **September-2025**



144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	54	51.4
145		RIICO Office Building, Kherda Industrial Area	Industrial	59	54.1
146		Head Post Office building & Passport Sewa Kendra	Commercial	59.5	55.3
147		Govt. General Hospital	Silence	55.2	54.2
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	55.1	52.7
149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	53.7	54.3
150		Near OPD Block, Sri Kalayan Hospital, Sikar	Silence	62.2	62.4
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	62.2	66.5
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	62.8	63.3
153		Near Municipal Council Office, Sikar	Commercial	73.5	65.1
154	Sirohi	RIICO Industrial Area	Industrial	54.3	55.5
155		District Hospital	Silence	58.3	57.4
156		Near Collector House, Sirohi	Residential	49	47.4
157		Commercial area, near roadways bus stand, Sirohi	Commercial	66.7	60.9
158		Govt. Sr. Sec. School (CAAQMS Site)	Residential	49.3	46.8
159	Sriganganagar	Near RIICO Office, Udyog Vihar Ind. Area	Industrial	55.9	47.6
160		Govt. Sr. Sec. School, Multipurpose	Residential	56.7	52.1
161		Gandhi Park, D Block	Residential	51.1	41.6
162		Ambedkar Circle, Sriganganagar	Commercial	56.7	41.2
163		Govt. Hospital, Suratgarh Road	Silence	53.4	38.2



Noise Quality Bulletin of Rajasthan State in September-2025



164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	58.3	50.2
165		Government Common Health Centre, Tijara.	Silence	57.3	43.8
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	61.6	42.3
167		Government Senior Secondary School, Tijara,	Residential	54.4	44.8
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	58.3	46.3
169	Tonk	In Front of M/s Kamal Industries, G-44, RIICO Industrial Area, Tonk	Industrial	73.3	65.3
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	72.3	60.3
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	54.6	52.9
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	52.9	52.1
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	67.2	53.3
174	Udaipur	Nagar Nigam office, Town Hall	Commercial	63.1	60
175		MB Hospital	Silence	80.3	66.2
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	70.8	52.4
177		BSNL Head office, Sector 4, Hiran Magri	Residential	66.9	69.6
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	60.4	56.2

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40