



Noise Quality Bulletin of Rajasthan State in September-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of September-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial

, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No.	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	73.1	64.3
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	69.7	67.7
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	61.4	62.5
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	60.2	63.4
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	68.2	55.7
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	55.5	44.2
7		Hope Circus, Tehsil & Distt Alwar	Commercial	73.7	60.4
8		General Hospital (Rajiv Gandhi Hospital),	Silence	69.6	54.8

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in September-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	58.2	57.6
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	63.9	43.1
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	74.7	56.3
12		CETP Balotra, Khed Road, Balotra.	Industrial	57.5	40.8
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	63.4	52.4
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	63.1	56.8
15		Kushalbagh Maidan, Near Police Thana,	Commercial	67	62.9
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	55	53.7
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	65.5	64.9
18		Nootan High Secondry School, Banswara	Silence	64.4	57.2
19	Baran	RIICO Office, Baran	Industrial	69.3	62.3
20		Circuit House	Residential	53.8	49.2
21		Government Hospital	Silence	65.3	60.9
22		PWD Office	Commercial	66.6	63.2
23		Fire Station,Baran-Kota Road,Baran	Commercial	67.8	64.8
24	Barmer	Govt. Hospital, Barmer	Silence	60.9	55.6
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	64.9	58.8
26		Near Railway Station Road Market, Barmer	Commercial	66.9	56
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	69.5	56.5
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	67.2	59.1

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	56.2	40.4
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	66.8	47.1
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	64.2	41.3
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	65.6	43.4
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	64.5	40.2
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	68.7	60.6
35		Azad Nagar, Sector - C, Bhilwara	Residential	55.3	54.4
36		Suchana Kendra, Bhilwara	Commercial	70.9	57.2
37		Mahatma Gandhi Hospital, Bhilwara	Silence	62.9	55.9
38		Kumbha Circle, Bhilwara	Commercial	73	69.8
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-Khairthal/Tijara	Residential	68.6	42.6
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal/Tijara	Silence	71.5	41.7
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	72.8	53.9
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	69.2	43.3
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	73.7	42.9
44	Bikaner	Regional office, RSPCB	Industrial	62.6	58.7
45		Junagarh Circle	Commercial	68.3	70.1
46		IGNP Colony, Ganganagar Road	Residential	62.2	58.1
47		P.B.M. Hospital	Silence	55.5	60.2
48		Kanta Kathuriya Colony	Residential	57.4	61.3

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024




49	Bundi	Civil lines	Residential	65.2	59.4
50		DIC Office	Industrial	59	51.4
51		Government Hospital	Silence	63.3	55.9
52		Nagar Parishad	Commercial	73.7	64.6
53		Power House, BCR Industrial Area	Industrial	68.8	59.9
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	70	63
55		Gol PyauChauraha Chittorgarh	Commercial	71	65.2
56		Kumbha Nagar, near Home Guard Office	Residential	66.9	58.1
57		District Hospital Chittorgarh	Silence	61.2	57
58		Shahid Major Natwar Singh Sec. Sr. School,	Silence	59.8	57.6
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	71	65.1
60		Park inside Housing Board, Churu	Residential	64.7	54.8
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	59.8	51.8
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	70.7	49.5
63		Near Indramani Park, Churu	Commercial	74.5	70.6
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	62.6	57.4
65		Indra Colony, Dausa	Residential	61.7	53
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	54.3	52.4
67		Old Bus Stand, Dausa	Commercial	68	68.3
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil & Distt.-Dholpur	Residential	56.4	38.8
69		RIICO Office Building, Old Industrial Area, Odela Road, Tehsil & Distt.-Dholpur	Industrial	67.2	46.9
70		Nagar Parishad Office, Ghantaghar Road, Tehsil & Distt.-Dholpur	Commercial	67.2	43.5
71		Govt. General Hospital, Tehsil & Distt.-Dholpur	Silence	66.6	42.2
72		Govt. Sr. Sec. School, Tehsil & Distt.-Dholpur	Silence	65.6	41.2

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	53.2	47.2
74		RIICO Office, Dungarpur	Commercial	61.5	57.3
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	58.9	46.5
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	57.1	49.8
77		Gap Sagar pal, Dungarpur	Commercial	68.5	53.3
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	64.1	51.2
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	64.6	47.2
80		Children Park, Durga Colony Ganganagar Road	Residential	63.4	47.7
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	66.1	47.2
82		Near Bombay Hospital,Hanumangarh	Silence	65.7	47.5
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	64.7	61.4
84		Santokba Durlabhji Memorial Hospital (near OPD)	Silence	67.6	59.9
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	61.8	63.2
86		Science Park, Shastri Nagar	Residential	64.2	80.3
87		Gali No. 3, Raja Park	Commercial	69.5	67.6
88		Near Kotwali Thana, Chhoti Choupar	Commercial	79.1	80.2
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	67.6	82.5
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	63.6	62.4	
91	Jaisalmer	RIICO Industrial Area, Shilap Gram, Jaisalmer	Industrial	68.9	66.2
92		Near Gandhi darshan, Hanuman Circle ,Jaisalmer	Commercial	58.4	51.8
93		Tikaram Paliwal Park,Jaisalmer	Residential	53.1	40.7
94		Near Jawahar hospital,Jaisalmer	Silence	52.1	39.2
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	72.5	59.7
96		Govt. Hospital, Jalore	Silence	69.1	63.4
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	54	52.4
98		Bus Stand, Jalore	Commercial	70.1	57.4
99		Circuit House Jalore (CAAQMS Site)	Commercial	49.3	53.2

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



100	Jhalawar	RIICO, Near Office building	Industrial	61.6	59.1
101		Civil Lines, Near collectorate bungalow	Residential	51.3	49.2
102		Medical College, Near dean college	Silence	63.9	56.5
103		Veterinary Polyclinic, Near office building	Commercial	73.6	65.1
104		Bus Stand, Jhalawar	Commercial	70.8	63
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	77	65.1
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	58.5	60.6
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	62.1	58.5
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	63.2	56.4
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	74.5	63.3
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	46.2	43.8
111		Sojati Gate, Jodhpur	Commercial	73.4	68.8
112		BJS Colony, Near Soil conversion, Paota	Residential	45.7	44.5
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	44.2	43.7
114	Karauli	Circuit House, Ganesh Colony	Residential	52.7	49.8
115		District Industries Centre, Near Gad kaki Chowki	Industrial	56.3	52.9
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	61.5	53.5
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	59.3	58.2
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	59.9	53.3
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	67.6	57.6
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	68.9	58.9
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	69.6	63.4
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	58.6	48.9
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	73.8	63.1

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	54.5	53.4
125		Gandhi Chowk, Nagaur	Commercial	74.8	67
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	72.5	55
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	52	49.7
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	57.6	47.9
129	Pali	Near main gate of RSPCB	Industrial	59	57.5
130		At Bangur Hospital	Silence	55.5	58.9
131		At Circuit House	Residential	54.6	54.5
132		Near Town Hall, Nagar Parishad	Commercial	62.2	60.4
133		Bangur College (CAAQMS Site)	Silence	51.5	57.2
134	Pratapgarh	Bagwas Industrial Area	Industrial	56.8	51
135		Nagar Parishad Gate	Commercial	74.1	60.7
136		Bada Bagh Colony	Residential	61.5	55.6
137		District Hospital Pratapgarh	Silence	54.9	55
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	54.7	57.8
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	61.9	60.3
140		Kalalwati, Rajnagar	Residential	58.5	59.6
141		Krishna Nagar, Near Vidya Niketan School	Silence	52.3	55.4
142		Bus stand, Kankroli	Commercial	59.6	57.6
143		R.K. Hospital	Silence	58.8	66.4
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	55.9	50.6
145		RIICO Office Building, Kherda Industrial Area	Industrial	58.7	52.7
146		Head Post Office building & Passport Sewa Kendra	Commercial	61.8	54.4
147		Govt. General Hospital	Silence	60.7	57
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	56.8	49.7

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	57.3	48.5
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	67.3	58.9
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	72.6	67.7
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	62.8	49.7
153		Near Municipal Council Office, Sikar	Commercial	69.8	68.6
154	Sirohi	RIICO Industrial Area	Industrial	61.2	58.7
155		District Hospital	Silence	59	61.2
156		Near Collector House, Sirohi	Residential	56.8	56.9
157		Commercial area, near roadways bus stand, Sirohi	Commercial	68.2	60.5
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	51	54.7
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	62.7	65.1
160		Govt. Sr. Sec. School, Multipurpose	Residential	65.1	47.9
161		Gandhi Park, D Block	Residential	63.1	48
162		Ambedkar Circle, Sriganganagar	Commercial	64.5	45.7
163		Govt. Hospital, Suratgarh Road	Silence	62.8	58.2
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	72.6	56.6
165		Government Common Health Centre, Tijara.	Silence	69.7	41.5
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	71.9	40.7
167		Government Senior Secondary School, Tijara,	Residential	68.6	41.6
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.2	40.5
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	63.9	56.2
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	66.1	52.3
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	61.8	58.2
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	65.6	59.8
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	59.9	51

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in September-2024



Sl. No.	Area	Category of Area / Zone	Day Time	Night Time
174	Udaipur	Nagar Nigam office, Town Hall	75.1	58.1
175		MB Hospital	65.7	53.4
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	74.3	58.7
177		BSNL Head office, Sector 4, Hiran Magri	74.3	58.3
178		RO office, F-470 Near UCCI, MIA, Madri,	69.8	60.6

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.10.10 17:11:54 IST
Reason: Approved