



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004

Phone :0141-27168049,2716800 e-mail :member-secretary@rpcb.nic.in

HelpLineNo. : 0141-2716877



F.14.(5)Admn/RSPCB/ Project **349-359**
Order

Date: **27/05/24**

The State Board vide Order no. F.12 (5-Adm) RPCB/ Gen/ 1693-1702 dated 28.08.2023 had issued checklist of documents required to be submitted while applying for Consent to Establish/Operate/Authorization/Registration wherein Annexure-B of "General Checklist of documents to be submitted/ uploaded with the application for Consent to Operate under the Water act 1974 and/or Air act 1981 with applicable fee" at point no. 3 "No Objection Certificate from Central Ground Water Authority, if applicable" was kept as a mandatory document along with consent to operate application, wherein applicable.

The Central Pollution Control Board vide letter dated 25.04.2024 appraised the decision taken in 48th Board Meeting of CGWA that:

"Ground water NOC is to be issued on the basis of CTO/ CTE/CCA and as per the quantum mentioned therein. It was further decided that the Project Proponent must apply for ground water NOC immediately within one month after obtaining CCA/CTE/CTO.

In order to maintain uniformity among all SPCBs/PCCs, CPCB has requested to follow as above and issue CTE/ CTO/CCA accordingly including the condition therein that "in case of usage of ground water, the Project Proponent must obtain NOC from CGWA within one month from the date of issue of CTE/ CTO/CCA, unless falling in exempted category as per MoJS Guidelines dated 24.09.2020 and amendments dated 29.03.2023 thereto"

The matter has been reviewed and it has now been decided that in partial modification to the aforesaid Order no. F.12 (5-Adm) RPCB/ Gen/ 1693-1702 dated 28.08.2023 Annexure-B Point No.3, henceforth requirement of NOC from Central Ground Water Authority before establishment of any project/ industry/ facility is dispensed with and submission of NOC from CGWA will not be insisted upon while prescreening/ processing of applications of CTE/CTO.

Further a mandatory condition shall be incorporated in the CTE/CTO at the time of grant that:

"in case of usage of ground water, the Project Proponent must obtain NOC from CGWA within one month from the date of issue of CTE/ CTO, unless falling in exempted category as per MoJS Guidelines dated 24.09.2020 and amendments dated 29.03.2023 thereto"

This order shall come into force with immediate effect.

(Vijai N.)
Member Secretary

RajKaj Ref
7387108



Signature valid

Digitally signed by N. Vijai
Designation: Member Secretary
Date: 2024.05.24 17:58:33 IST
Reason: Approved



Rajasthan State Pollution Control Board

Headquarter, 4, Institutional Area, JhalanaDoongri, Jaipur-302004

Phone :0141-27168049,2716800 e-mail :member-secretary@rpcb.nic.in

HelpLineNo. : 0141-2716877



F.14.(5)Admn/RSPCB/ Project **349-359**

Date: **27/5/24**

Copy to the followings for information and necessary action:

1. P.S.to Chairperson, RSPCB, Jaipur.
2. Sr.PA to Member Secretary, RSPCB, Jaipur.
3. Joint Secretary, RSPCB, Jaipur.
4. Sh Vishal Gandhi, Scientist E, WQM-I, CPCB, Delhi.
5. Regional Director, CGWA, Jhalana, Jaipur.
6. The CEE/FA /CSO, RSPCB, Jaipur.
7. All Group In-charges, RSPCB, Jaipur.
8. All Regional Officers, Regional Offices, RSPCB.
9. GIC (IT), with request to upload on RSPCB website.

Member Secretary

RajKaj Ref
7387108

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.05.24 17:58:33 IST
Reason: Approved