

कार्यालय अजमेर विकास प्राधिकरण, अजमेर

क्रमांक: अ.वि.प्रा./तकनीकी/2019-20/

दिनांक:

ई.निविदा सूचना सं 03/2019-20

अजमेर विकास प्राधिकरण अजमेर की ओर से अजमेर विकास प्राधिकरण व केन्द्र/राज्य/स्वायत्त शासन विभाग में सक्षम श्रेणी में पंजीकृत व अपंजीकृत संवेदकों, जो निविदा में सक्षमता रखते हैं, से निम्न कार्यों हेतु निर्धारित प्रपत्र में ई-प्रोक्यूरमेंट प्रक्रिया से आनलाईन निविदाएं आमंत्रित की जाती हैं:-

क्र. सं.	कार्य का नाम	अनु. लागत (लाख रु.में)	अमानत राशि		निविदा शुल्क	ई-निविदा प्रक्रिया शुल्क	कार्य पूर्ण करने की अवधि
			0.50%	2%			
1	2	3	4	5	6	7	8
1	Operation & Maintenance Work of Fountains under ADA Area Ajmer	10.34	5170/-	20680/-	500/-	500/-	12 Month
2	Supply and Fixing of LED Glow Sign Board for Selfie point and ADA Sign board in ADA area, Ajmer	16.07	8035/-	32140/-	500/-	500/-	03 Month

क्र.सं.	डाउनलोड करने की तिथि	निविदा, अमानत राशि व अन्य राशि प्राप्त करने की तिथि	निविदा खोलने की तिथि
1	14.06.2019 से 24.06.2019 सायं 05:00 बजे तक	14.06.2019 से 24.06.2019 तक सायं 06:00 बजे तक	25.06.2019 सायं 03:00 बजे

UBN Code AJD1920WS0B00010 ; AJD1920WS0B00011

1. आर.पी.डब्ल्यू ए-100 की सभी शर्तें मान्य होगी।
2. निविदा की दर 10 प्रतिशत तक Below आने पर कोई भी Performance Security नहीं ली जावेगी। 10 प्रतिशत से अधिक आने पर (0.9 X G-Schedule राशि - संवेदक द्वारा दी गई टेण्डर राशि X 0.4) से गणना कर पी.जी. राशि जमा करानी होगी।
3. Rajasthan Transparency in Public Procurement Rules 2013 के समस्त प्रावधान लागू होंगे।
4. बिना किसी कारण बताए कोई भी निविदा निरस्त की जा सकती है।
5. सशर्त निविदा मान्य नहीं होगी।
6. संवेदक को श्रम विभाग में कार्य का पंजीयन कराना होगा तथा नियमानुसार श्रम कल्याण कोष में निर्धारित राशि जमा करानी होगी।
7. संवेदक को पेन कार्ड, ठेकेदारी रजिस्ट्रेशन व जी.एस.टी. रजिस्ट्रेशन की प्रति टेण्डर ऑपलॉड के साथ प्रस्तुत करनी होगी।
8. निविदा शुल्क, अमानत राशि व ई-निविदा प्रक्रिया शुल्क ऑन-लाईन प्रक्रिया शुल्क जमा करानी होगी। इस हेतु पासवर्ड कार्यालय के कम्प्यूटर शाखा कमरा नं. 14 में सम्पर्क करें। अधिक जानकारी के लिये सम्पर्क करें। (0145-2627749)
9. यदि टेण्डर दो स्तरीय होने पर तकनीकी बिड में सफल संवेदकों को वित्तीय बिड खोलने की सूचना पृथक से भेजी जावेगी।
10. डिफेक्ट लाईविलटी पीरियड 10 लाख से अधिक कार्यों का 3 वर्ष का होगा। (अनुबन्ध की क्लॉज 37 मान्य होगी)

विस्तृत नियम एवं विवरण प्राधिकरण वेबसाइट <http://www.urban.rajasthan.gov.in/ada> व State Public Procurement Portal पर देखे जा सकते हैं। इच्छुक संवेदकों को अपने डिजिटल हस्ताक्षर के माध्यम से वेबसाइट eproc.rajsthan.gov.in पर रजिस्टर्ड होना आवश्यक है।

अधिशोषी अभियन्ता,
अजमेर विकास प्राधिकरण, अजमेर

दिनांक: 11-6-19

क्रमांक: अ.वि.प्रा./तकनीकी/2019-20/ 3449-71
प्रतिलिपि:

1. निजी सहायक, अध्यक्ष महोदय, अजमेर विकास प्राधिकरण, अजमेर।
2. आयुक्त महोदय, अजमेर विकास प्राधिकरण, अजमेर।
3. निजी सहायक, सचिव, अजमेर विकास प्राधिकरण, अजमेर।
3. मुख्य अभियन्ता, मुख्यालय स्वायत्त शासन विभाग, जयपुर।
4. अतिरिक्त मुख्य अभियन्ता, अजमेर विकास प्राधिकरण, अजमेर जोन, अजमेर।
5. माननीय विधायक महोदय (उत्तर/दक्षिण/पुष्कर)।
6. सांसद महोदय, अजमेर।
7. वरिष्ठ लेखाधिकारी अजमेर विकास प्राधिकरण, अजमेर।
8. अधिशोषी अभियन्ता (उत्तर/दक्षिण/पुष्कर) अजमेर विकास प्राधिकरण, अजमेर।
9. सहायक लेखाधिकारी, अजमेर विकास प्राधिकरण, अजमेर।
- 10-12. सहायक अभियन्ता सर्व श्री राजेन्द्र कुड़ी, ओ.पी. सौलकी, दशरथ यादव अजमेर विकास प्राधिकरण, अजमेर।
13. कनिष्ठ अभियन्ता सर्व श्री अजमेर विकास प्राधिकरण, अजमेर।
- 14-17. आडिटर प्रथम/द्वितीय/तृतीय/रोकडिया, अजमेर विकास प्राधिकरण, अजमेर
- 18-20. सूचना पट्ट अजमेर विकास प्राधिकरण, अजमेर, /नगर निगम/सा.नि.वि अजमेर।
21. अध्यक्ष कान्फ्रेक्टर एसोसिएशन, मारोठिया कम्पाउण्ड, पुलिस लाईन, अजमेर।
22. निदेशक, सूचना एवं जनसम्पर्क विभाग, शासन सचिवालय, जयपुर को प्रेषित कर निवेदन है कि उक्त निविदा सूचना DPR की वेबसाइट पर प्रकाशित करवाने का कष्ट करें।
23. प्रोजेक्ट मैनेजर, ई-कनेक्ट सोलियुशन प्राईवेट लिमिटेड, अजमेर विकास प्राधिकरण को भेजकर लेख है कि उक्त निविदा सूचना को State Portal E-Proc पर डाले

Percentage BoQ

Tender Inviting Authority: Executive Engineer, Ajmer Development Authority, Ajmer

Name of Work: Supply and Fixing of LED Glow sign board for selfie points and ADA Sign board in ADA Area Ajmer.

Contract No:

Name of the Bidder/ Bidding Firm / Company :	
--	--

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	4	5	6	53	55
1	Transportation of excavated earth over 5 KM	10	cum	109.30	1093.00	INR One Thousand & Ninety Three Only
2	Providing and laying in position cement concrete including curing compaction etc. of specified grade excluding the cost of centering and shuttering. All up to plinth level IS 456 - 2000 1:4:8 (1 Cement : 4 Course sand : 8 Graded stone aggregate 40 mm nominal size (Crusher Broken)	4.00	cum	2424.00	9696.00	INR Nine Thousand Six Hundred & Ninety Six Only
3	Providing and laying in position cement concrete including curing compaction etc. complete in specified grade excluding the cost of centering and shuttering. All work up to plinth level M20 grade Nominal Mix (with graded stone aggregate 20 mm nominal size)	4.00	cum	3887.00	15548.00	INR Fifteen Thousand Five Hundred & Forty Eight Only
4	Plaster on new surface on walls in cement sand mortar 1:4 including raking of joints etc. complete fine finish 20 mm thick (BSR 12.8 + 12.8.2)	8.00	Sqm	152.00	1216.00	INR One Thousand Two Hundred & Sixteen Only
5	Supplying and fixing in cement sand mortar 1:4 sand or other approved stone dassa or coping of thickness 75 to 100 mm (fine dressed) plain ornamental	24.00	Sqm	2985.00	71640.00	INR Seventy One Thousand Six Hundred & Forty Only
6	Providing and fixing steel gate grating and grills made of angles, tees, square bars or other flats black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	500.00	Kg	83.00	41500.00	INR Forty One Thousand Five Hundred Only
7	S/F ashlar coping moulded and counter slopped 7 to 10 cm thick (2line dressed) soorsagar or equivalent	20.00	sqmtr	1038.00	20760.00	INR Twenty Thousand Seven Hundred & Sixty Only
8	brick masonry in foundation and plinth with bricks of class designation 75 mm IS2212-1991 in cement mortar 1:4(1cement 4crasher sand)	7.00	Cum	3249.00	22743.00	INR Twenty Two Thousand Seven Hundred & Forty Three Only
9	Earth work in excavation by mechanical means (Hydraulic Excavator) manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 cum on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed.	10.00	Cum	506.00	5060.00	INR Five Thousand & Sixty Only
10	Laying P.V.C insulated & P.V.C sheathed cable of 1.1 KV grade with aluminium conductor of IS 1554 P-I of group 2 of approved make in ground as per IS 1225 including excavation of sand lined class bricks covering refilling earth compaction of earth making necessary connection testing etc sqmm 4 core armoured	150.00	mtrs	146.00	21900.00	INR Twenty One Thousand Nine Hundred Only
11	S & F following sizes (dia) of ISI marked medium duty PVC conduit along with accessories in surface/ recessed using saddles, clamps, fastener as required including cutting the wall and making good the same as required 32 mm Group 1st	100.00	mtrs	65.00	6500.00	INR Six Thousand Five Hundred Only
12	SITC of wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel made out of CRCA sheet, required hardware, duly treated for derusting in 7 tank process with dephosphating and with powder coating on both side of panel in desired shade. The panel having PU/ Neoprene rubber gasket of not less than 3mm thickness, separate detachable gland plate M.S. base channel, hinged door with locking arrangement for equipment/switchgear. Thickness of sheet shall not be less than 1.6 mm up to 600 mm length / width of any compartment and be of 2.0 mm above 600 mm. Load bearing structure shall be of 2.0 mm thick sheet supported by base M.S. channel if required. Side walls and cable alley compartments having bolted type doors with / without detachable extension type structure (only outer area on all sides shall be measured & panel to be fabricated from CPRI approved fabricator)	18.00	Sqmtr.	2752.00	49536.00	INR Forty Nine Thousand Five Hundred & Thirty Six Only
13	P & F in position frame made out of M.S. angle (riveted or welded) finished with two coats of red oxide and enamel paint including cutting, welding, holes etc of following sizes as required 50mm x 50mm x 6mm	15.00	Mtr	313.00	4695.00	INR Four Thousand Six Hundred & Ninety Five Only
14	P & F paper phenolic resin bonded laminates conforming to IS 2036 - 1995 for boxes/ frames including making holes for switches etc, with brass screws, washers/ zinc plated nut and bolts as required 6.4 mm thick	4.00	Sqmtr	891.00	3564.00	INR Three Thousand Five Hundred & Sixty Four Only
15	P & F of ac operated heavy duty 230 /440 Volt power contactor conforming to IS 13947-4-1/IEC 947-4-1 having provision of mechanical interlocking auxiliary contacts, Din rail mounting type including making connections testing etc as required 4 pole Power contactors with following AC 1 Rating Up to 32 Amp	3.00	Each	950.00	2850.00	INR Two Thousand Eight Hundred & Fifty Only
16	P&F of mechanical / digital time switch having following day / week programme and minimum 100 hours reserve and AC1 rating of 16-20 amperes including making connection, programming etc as required One day & week reserve (digital type)	3.00	Each	5740.00	17238.00	INR Seventeen Thousand Two Hundred & Thirty Eight Only

17	P&F 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) (ISI marked IS 8828(1996)) conforming to IEC 60898 in existing board/sheets including making connections, testing etc. as required. Four pole MCB40 A 63 A rating	3.00	Each	1378.00	4134.00	INR Four Thousand One Hundred & Thirty Four Only
Total in Figures					299673.00	INR Two Lakh Ninety Nine Thousand Six Hundred & Seventy Three Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				

by
Jen/Elect

(Signature)
 AEn (Elect)
 ADA Pimer

Item Rate BoQ

Validate Print Help

Tender Inviting Authority: Executive Engineer, Ajmer Development Authority, Ajmer

Name of Work: Supply and Fixing of LED Glow sign board for selfie points and ADA Sign board in ADA Area Ajmer.

Contract No:

Name of the Bidder/
Bidding Firm /
Company :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE in Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT in Words
1	2	4	5	13	53	55
1	Supply and Fixing of selfie point 9" thick letters structure made of 4 mm thick white (code 040), ackerlic sheet front and sides with 4 mm clear ackerlic sheet on front backside of the front side of the letter to give strength and 3 mm ACP sheet at backside including water proof LED modules and SMPS (6 x 6 = 36, 3 x 6 = 18)	208.00	Sqft		0.00	INR Zero Only
2	Supply and fixing of base structure made of MS pipes and cover with 3 mm ACP sheet (2 x 12 = 24)	58.00	Sqft		0.00	INR Zero Only
Total in Figures					0.00	INR Zero Only
Quoted Rate in Words						


JGn (E/ent)

AE (E/ent)
ADA Ajmer

TERMS AND CONDITIONS

1. In compliance of UDH Govt. of Rajasthan Office order प. 10 (147)न विधि /3/2008 Dated 19-12-2012.
 - A. The old printed agreement Performa will be treated as corrected in the compliance of these Govt. order.
 - B. For any amount of work, Performance guarantee will have to be deposited by contractor in department equal to the difference amount of T.P below the BSR rate and this will be released after completion of the work. In case of non-compliance action will be taken against the contractor.
 - C. Display of information of the work will be provided in proper manner at site of work at the cost of the contractor. Also sufficient No. of photos of site before starting of work, during construction and after completion of work shall be submitted with every bill.
2. Contractor will carry out the work / execute work as per PWD (B&R) BSR, PWD BSR Electric works specification if any type or clerical / type mistake / error in G-schedule. The PWD BSR rate will prevail (Jurisdiction Ajmer Dist.).
3. Any type of Govt. tax / royalty / labour cess / mining tax etc. will be born by the contractor & he will be responsible for maintaining the labour law rules, conditions / mining dept. conditions etc.
4. As per site conditions changes in the drawing / design / items will be in the competency of Executive Engineer & his decision will be final. The contractor will be responsible to follow his all instructions.
5. Contractor should enclose a photo copy of PAN card.
6. Condition of RPWA- 100 will prevail.
7. The Lowest tender will be overall amount of rates of part A and B of the tender.
8. **Contractor should be submit experience certificate of similar nature work.**

SIGNATURE OF CONTRACTOR


EXECUTIVE ENGINEER
AJMER DEVELOPMENT AUTHORITY
AJMER