

# कार्यालय जोधपुर नगर निगम, दक्षिण

क्रमांक:- विकास/दक्षिण/द्वितीय/2022-23/983

दिनांक :- 10/11/2022

-:: निविदा सूचना ::-

(यू. बी. संख्या .....

नगर निगम जोधपुर की और से निम्नलिखित कार्यो हेतु भारत, सरकार एवं राज्य सरकार के विभिन्न विभागों/स्वायत्तशापी/निगमों/बोर्डों/राजकीय उपक्रमों में पंजीकृत ए. ए व ए. श्रेणी में पंजीकृत तथा नगर निगम जोधपुर दक्षिण/उत्तर में निर्धारित श्रेणी में पंजीकृत नियमानुसार योग्य संवेदको से निर्धारित प्रपत्र में मुहरबन्द निविदाएं आमंत्रित की जाती है। निविदाएं दिनांक 25.11.2022 को 12.30 बजे तक बेची जाकर, दिनांक 25.11.2022 को दोपहर 2:00 बजे तक प्राप्त कर 3:00 बजे उपस्थित संवेदको के समक्ष खोली जायेगी। अन्य विवरण एवं शर्तें निविदा प्रपत्र कार्यालय समय में कार्यालय में देखे जा सकते हैं। sppp.rajasthan.gov.in एवं जोधपुर नगर निगम-दक्षिण की वेबसाईट urban.rajasthan.gov.in/mcjs पर देखी जा सकती है।

क्र. सं.	कार्य का नाम	अनु. लागत लाखों में	घरोहर राशि	निविदा शुल्क	कार्य पूर्ण करने की अवधि
01	Aluminium work in Nagar Nigam office Building.	4.99	9980/-	500/-	6 माह

नोट :- (1) कार्य शुरू करने से पूर्व व कार्य पूर्ण करने के पश्चात् कार्य स्थल की फोटो/ विडियोग्राफी सी.डी. आवश्यक रूप से प्रस्तुत करें। (2) सशर्त निविदा स्वीकार नहीं होगी। (3) दोष निवारण अवधि नियमानुसार होगी। (4) घरोहर राशि के डिमाण्ड ड्राफ्ट की वैधता निविदा खोलने की तारीख से निविदा की वैधता अवधि तक होनी अनिवार्य है अन्यथा निविदा कॉपी निरस्त की जा सकती है। (5) निविदा कॉपी बाबत् आवेदन पत्र के साथ पंजीयन प्रमाण-पत्र संलग्न करना आवश्यक है, अन्यथा निविदा कॉपी जारी नहीं की जायेगी। (6) आयुक्त नगर निगम जोधपुर के आदेश क्रमांक 9836 दिनांक 07.02.2020 एवं 9975 दिनांक 14.07.2020 अनुसार पंजीयन रिव्यू आदेश के तहत निविदा स्वीकार/अस्वीकार की जायेगी। (7) श्रीमान् निदेशक, स्वायत्त शासन विभाग राजस्थान जयपुर के आदेश क्रमांक 144612-825 दिनांक 22.11.2021 की पालना में वित्त विभाग की अधिसूचना दिनांक 22.10.2021 अनुसार आर.टी.पी.पी. नियम 2013 में Additional Performance Security के लिए नियम 75-ए के अनुसार Additional Performance Security जमा करवानी होगी।

आयुक्त

जोधपुर नगर निगम-दक्षिण

क्रमांक :- 98460990

दिनांक :- 10/11/2022

प्रतिलिपी :- सूचनार्थ एवं आवश्यक कार्यवाही हेतु।

1. श्रीमान जिला कलेक्टर महोदय, जोधपुर।
2. निदेशक/अधीक्षण अभियन्ता, स्थानीय निकाय विभाग, जयपुर।
3. अधीक्षण अभियन्ता/अधिशापी अभियन्ता, सा.नि.वि./जोधपुर विकास प्राधिकरण जोधपुर।
4. लेखाधिकारी, जोधपुर नगर निगम।
5. उक्त निविदा सूचना पर्यटन बाजार क्षेत्रीय समाचार में प्रकाशन हेतु।
6. श्री रामेश्वर गहलोत, प्रोग्रामर नगर निगम जोधपुर दक्षिण को भेजकर लेख है कि ई-निविदा सूचना sppp.rajasthan.gov.in (2) urban.rajasthan.gov.in/mcjs पर अपलोड करें एवं निविदा सूचना प्रकाशन हेतु राजस्थान संवाद जयपुर को मेल के माध्यम से भिजवायें।
7. सूचना पट्ट जोधपुर नगर निगम दक्षिण।

आयुक्त

जोधपुर नगर निगम-दक्षिण

# OFFICE OF THE NAGAR NIGAM, JODHPUR

## G SCHEDULE

NIT No. .... date .....

Last Date of Sale :-

Date of Receipt :-

Copy issued to M/s .....

Sr No. ....

Earnest Money : Rs. ....

CR No. .... Dated. ....

Name of work- Aluminium work in nagar nigam office building

S. No.	Item	BASED ON RUIDP 2022			
		QTY	Unit	Rate In Rs.	Amount
1	Providing and fixing GI wire gauge of average width of aperture 1.56mm with wire of 0.45mm to existing steel door, window shutter frames with necessary M.S. strip beading 20x3mm with suitable screw at not exceeding 150mm distance etc. complete.	1	sqm	595.00	595.00
2	Aluminium hanging floor door stopper with twin rubber & stopper	1.00	each	37.00	37.00
3	1564 Hydraulic door closer tubular type Aluminium section body	1.00	each	800.00	800.00
4	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :				
	125 mm	1.00	each	62.90	62.90
	100 mm	1.00	each	55.00	55.00
5	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-incharge . (Cost of aluminium snap beading shall be paid in basic item) :	1			0.00
	With float glass panes of 4.0 mm thickness	1.00	sqm	986.00	986.00
	With float glass panes of 5.50 mm thickness	1.00	sqm	1214.00	1214.00
6	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing and panelling to be paid for separately) :For fixed portion.	1			0.00
7	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	1.00	kg	406.00	406.00
8	Powder coated aluminium (minimum thickness of powder coating 50 micron)	1.00	kg	428.50	428.50

*Jr*

9	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (Fittings shall be paid for separately). Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	1	kg	438.50	438.50
10	Providing and fixing 12mm thick Pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side.	1.00	sqm	1031.00	1031.00
11	Providing and fixing expanded grill made of aluminum as per design and drawing having members section of size 7.5mm x 6.0mm and opening of size 102mm x 99mm to aluminum window/vent with required screws, Y and H aluminium sec (as per drawing) at the ends and middle joints respectively complete in all respect as per direction of engineer in charge. Anodised aluminum (anodised transparent 81 dyed to required shade according to IS : 1868. (Minimum anodic coating of grade AC 15, Anodizing to be got done from approved Anodizer)	1.00	sqm	1945.00	1945.00
12	Providing and fixing double action hydraulic floor spring of approved brand and manufacture IS : 6315 marked, for doors including cost of cutting floors as required, embedding in floors and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With stainless steel cover plate	1	each	1883.00	1883.00
13	Providing and fixing powder coated aluminium work (minimum thickness of powder coating 50 micron) consisting of tee/ angle sections, of approved make conforming to IS : 733 in frames of false ceiling including aluminium angle cleats with necessary C.P. brass/ stainless steel sunk screws, aluminium perimeter angles fixed to wall with rawl plugs @ 450 mm centre to centre and fixing the frame work to G.I. level adjusting hangers 6 mm dia. with necessary cadmium plated machine screws all complete as per approved architectural drawings and direction of the Engineer-in-charge (level adjusting hangers, ceiling cleats and expansion hold fasteners to be paid for separately).	1.00	kg	597.00	597.00

*Jur*

14	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Upto 5mm depth and 5 mm width	1.00	mtr	72.20	72.20
15	Providing and fixing double glazed hermetically sealed glazing in aluminium windows, ventilators and partition etc. with 6 mm thick clear float glass both side having 12 mm air gap including providing EPDM gasket, perforated aluminium spacers, desiccants, sealant (Both primary and secondary sealant ) etc. as per specifications, drawings and direction of Engineer-in-charge complete.	1	sqm	3730.00	3730.00
16	Providing and fixing aluminium tubular handle bar 32 mm outer dia, 3.0 mm thick & 2100 mm long with SS screws etc .complete as per direction of Engineer-in-Charge. Anodized (AC 15 ) aluminium tubular handle bar	1.00	each	584.00	584.00
17	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	1.00	each	514.00	514.00
18	Providing and fixing anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868. Minimum anodic coating of grade AC 15) sub frame work for windows and ventilators with extruded built up standard tubular sections of approved make conforming to IS: 733 and IS : 1285 fixed with rawl plugs and stainless steel screws etc.	1	kg	418.00	418.00
19	Providing fixing aluminium round shape handle of outer dia 100mm with SS screws etc. Complete as per direction of Engineer-in-charge Anodized (AC 15 ) aluminium	1.00	each	88.00	88.00
20	Providing fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete. Anodized (AC 15) aluminium	1.00	each	66.60	66.60
					15951.70

Work Amount upto 4.90 lacs

**Terms and Condition :-**

1. सभी प्रकार के कर (टैक्स) संवेदक द्वारा ही वहन किये जायेंगे।
2. कार्य स्थल पर श्रमिक व सामग्री की सुरक्षा की जिम्मेवारी संवेदक की होगी।
3. जौ.सारणी में वर्णित कार्यों के अतिरिक्त व अधिक कार्य संवेदक द्वारा दी गई दरों के आधार पर करवाये जा सकेंगे।
4. कार्य स्थल पर कार्य सम्बंधित सूचनाएं दर्शाने वाला बोर्ड संवेदक को स्वयं के स्तर पर लगाना होगा।
5. टंकण न्युटी की अवस्था में सम्बंधित रेट मान्य होगी।
6. कार्य करने से पूर्व एवं कार्य करने के पश्चात कार्य स्थल की फोटो/विडियोग्राफी सीडी आवश्यक रूप से कार्यालय में जमा कराने होंगे।
7. दोष निवारण अवधि नियमानुसार रहेगी।
8. दरें 4 माह तक मान्य रहेगी
9. सशर्त निविदा स्वीकार नहीं होगी।
10. निष्पादन सुरक्षा राशि 10 प्रतिशत मय अनुबन्ध के जमा कराना होगा।

  
EXECUTIVE ENGINEER  
NAGAR NIGAM, JODHPUR.

I/We hereby agree to do the above work @ \_\_\_\_\_ Above/below the "G" Schedule.

(Signature of Contractor)