



Office of RUDSICO, External Aided Project (RUIDP)  
Rajasthan Urban Drinking Water Sewerage and Infrastructure Corporation Ltd (RUDSICO)  
{Erstwhile Rajasthan Urban Infrastructure Finance and Development Corporation Ltd}  
Head Quarter Address:- Old Working Women Hostel, Behind Nehru Palace, Tonk Road Jaipur  
Branch Address: - AVS Building, Jawahar Circle, JLN Marg, Jaipur - 302017  
Ph. - 141 2721966 Fax No. 141 2721919,  
E-mail:- mailruidp@gmail.com, mail.ruidp@rajasthan.gov.in Website: - www.ruidp.rajasthan.gov.in

Sheet -1

**CORRIGENDUM/ ADDENDUM-2 to SOR 2017**

Chapter	Item No./ Code	Existing		Modified item			
		Item	Unit	Rate	Item	Unit	Rate
Chapter 32 Finishing	32.08	Cement, Concrete flooring/ cement plaster/ CC Road, Plain or RCC work & water retaining works providing and mixing admixture of synthetic polypropylene Fibrillated mesh fibers free form any reprocess Olefins & confirming to ASTM C 1116 Type III 4.1.3 Having grade 6mm / 12mm melting point of 165 deg.C., strengt>600 mpa Sp. Gravity:0.92 g/cc, diameter 10-70 microns. It is required in specified ratio @ 0.25% ( 125 Gm. Fibre in 50kg cement) for use. Mix it directly with contents in rotating site mixer direction of the Engineer with all leads and lifts.	Per Pack 125 gm	58.5	Add extra over items of cement concrete flooring/cement plaster/ cement pipes, canal works, cc lining, cc Road, Plain or RCC work and water retaining works providing & mixing admixture of virgin synthetic polyester/ polypro lane, fibrillated/ Monofilament fibres cut length 6 mm to 25 mm with effective diameter from 10 micron to 1 mm; melting point of 160 degree centigrade, having aspect ratio of 200 to 2000; specific gravity more than 1. It is required in specific ratio @ 0.25% (125 gm fibre in 50 kg cement) for use. Mix it directly with contents in rotating site mixes as per directions of the Engineer with all leads and liftsw(confirming to IS : 16481 : 2016)	Per Pack 125 gm	58.5

APO (Road)

PO

SE(R&B)