

# Project Management and Capacity Building Consultancy (PMCBC)

For Rajasthan Urban Drinking Water, Sewerage and Infrastructure Development

Corporation Ltd, External Aided Project (RUDSICO-EAP (Erstwhile RUIDP))



Shah Technical Consultants Private Limited

ADDRESS : 3<sup>rd</sup> Floor, AVS Building, Jawahar Circle, JLN Marg, Jaipur-302017 E-Mail: [stc.pmcbbc@rstdsp.com](mailto:stc.pmcbbc@rstdsp.com) Tele: +91-141-4914966

PMCBC/RSTDSP/GEN/7829

Date: 22.05.2024

To,

-----  
-----

**Sub:** Quotation called for Paint & Distemper Work in RUIDP Building.

Project Management, Capacity Building Consultancy (PMCBC) on behalf of Rajasthan Urban Infrastructure Development Project (RUIDP) proposes for Paint & Distemper work in RUIDP Building, Vendors are invited to quote the lowest rates for:

| S. No. | Item Name   | Unit  | Qty.     |
|--------|---|-------|----------|
| 1.     | Wall Putti -Repairing including POP & Birla Putti Mixture of cement-based wall putti is stuffed in the gaps, cracks, or breaks in the walls and to cover them to make the wall surface uniform. It makes the damp in the wall even. Also, it has a higher water resistance trait. It is mixed with water to form a soft paste. It has better compatibility with the plaster of the wall and makes a durable base for wall paint. It can be used for giving shinny finish, architectural finish or textured finish to the walls. It can be applied on all the walls, whether outside walls or inside walls of the building, house, etc. The objective of the invention is to invent a kind of putty powder for wall; it can dissolve the wallcovering of forming non-toxic inexpensive with water. | Sq.ft | 17800.00 |
| 2.     | Total wall Paint- Distemper<br>Distemper is a decorative paint and a historical medium for painting pictures, and contrasted with tempera. The binder may be glues of vegetable or animal origin (excluding egg). Soft distemper is not abrasion resistant and may include binders such as chalk, ground pigments, and animal glue. Hard distemper is stronger and wear-resistant and can include casein or linseed oil as binders. Distempere surfaces can be easily marked and discoloured, and cannot be washed down, so distemper is best suited to temporary and interior decoration.  | Sq.ft | 17248.00 |
| 3.     | Total Enamel paint (Stairs, railing, door etc.) enamel paint is a type of opaque finishing or protective layering/coating applied to metal surfaces. Its rich, vibrant colours are popular with many homeowners who want to make their homes look new again.<br><br>Enamel paint is composed of a base coat (an adhesive for pigment particles) and a colourant. These components react with each other to form chemical bonds that create resistance to weathering factors like heat or cold. The resulting finish, therefore, offers more durability than standard finishes do on any surface it is applied on to.<br><br>The best part is that they come in different colours as well as different levels of glossiness (matte finish).  | Sq.ft | 9000.00  |

Quotation should be in prescribed format provided as Annexure A. Vendor Information Sheet provided as Annexure B.

**Important Dated:**

| S. No. | Event   | Date & Time           |
|--------|---|-----------------------|
| 1.     | Last Date & Time for submission of quotations | 31.05.2024 at 3.00 PM |
| 2.     | Date & Time for opening of quotations         | 31.05.2024 at 3.30 PM |

**Important Points to be noted:**

1. The details are also available on the RUIDP website (www.ruidp.rajasthan .gov.in) and RUIDP notice board.
2. The vendors should submit the quotations in the sealed envelope duly signed and stamped in prescribed format otherwise, it may not be considered.
3. The work should be started within 7 days from the placement of order.
4. The authority has right to change the quantity or cancel the procurement process at any point of time without assigning any reason thereof.
5. The quotation shall be valid for 60 days from the date of receipt of the quotation in this office.

**For Shah Technical Consultants Pvt. Ltd.**

  
Project Coordinator,  
PMCBC, RUIDP, Jaipur

Encl.:

Annexure A: Quotation Format  
Annexure B: Vendor Information Sheet

CC:

1. Dy. PD. (Admn), RUIDP, Jaipur
2. ACP, RUIDP (To upload on RUIDP website)
3. Guard RUIDP (For notice board of RUIDP)


## QUOTATION FORMAT

Name of Vendor: \_\_\_\_\_

Annexure – A

| S. No. | Particular                               | Description   | Unit  | Qty.     | Base Price per Unit (In Rs.) | Applicable Taxes / Unit (In Rs.) | Final Rate Per Unit (Inclusive of Applicable Taxes) (In Rs.) | Total cost of Units Required (In Rs.) |
|--------|--|---|-------|----------|------------------------------|----------------------------------|--|---------------------------------------|
| a      | b  | c   | d     | e        | f                            | g (e+f)                          | h (c*g)  |                                       |
| 1.     | Paint & Distemper Work in RUIDP Building | Wall Putti -Repairing including POP & Birla Putti Mixture of cement-based wall putti is stuffed in the gaps, cracks, or breaks in the walls and to cover them to make the wall surface uniform. It makes the damp in the wall even. Also, it has a higher water resistance trait. It is mixed with water to form a soft paste. It has better compatibility with the plaster of the wall and makes a durable base for wall paint. It can be used for giving shabby finish, architectural finish or textured finish to the walls. It can be applied on all the walls, whether outside walls or inside walls of the building, house, etc. The objective of the invention is to invent a kind of putty powder for wall; it can dissolve the wallcovering of forming non-toxic inexpensive with water. | Sq.ft | 17800.00 |                              |                                  |  |                                       |
| 2.     |  | Total wall Paint- Distemper Distemper is a decorative paint and a historical medium for painting pictures, and contrasted with tempera. The binder may be glues of vegetable or animal origin (excluding egg). Soft distemper is not abrasion resistant and may include binders such as chalk, ground pigments, and animal glue. Hard distemper is stronger and wear-resistant and can include casein or linseed oil as binders. Distempers   | Sq.ft | 17248.00 |                              |                                  |  |                                       |

|    |  |       |         |  |  |  |  |  |  |  |  |  |
|----|--|-------|---------|--|--|--|--|--|--|--|--|--|
| 3. | <p>surfaces can be easily marked and discoloured, and cannot be washed down, so distemper is best suited to temporary and interior decoration.</p> <p>Total Enamel paint (Stairs, railing, door etc.) enamel paint is a type of opaque finishing or protective layering/coating applied to metal surfaces. Its rich, vibrant colours are popular with many homeowners who want to make their homes look new again.</p> <p>Enamel paint is composed of a base coat (an adhesive for pigment particles) and a colourant. These components react with each other to form chemical bonds that create resistance to weathering factors like heat or cold. The resulting finish, therefore, offers more durability than standard finishes do on any surface it is applied on to.</p> <p>The best part is that they come in different colours as well as different levels of glossiness (matte finish).</p> | Sq.ft | 9000.00 |  |  |  |  |  |  |  |  |  |
|----|--|-------|---------|--|--|--|--|--|--|--|--|--|




Jaswant Kr. Singh  
Project Coordinator  
PMCBC-RSTDSP

Annexure - B

| Vendor Information Sheet |   |  |
|--------------------------|---|--|
| S. No.                   | Particular  |  |
| 1.                       | Name & Address of the Vendor                          |  |
| 2.                       | Telephone No.   |  |
| 3.                       | Email Address   |  |
| 4.                       | Type of Firm<br>(Individual/partnership/Private Ltd.) |  |
| 5.                       | PAN of the Vendor                                     |  |
| 6.                       | Authorized Contact Person                             |  |
| 7.                       | Mobile Number of Contact Person                       |  |
| 8.                       | Email ID of Contact Person                            |  |

Date:

Signature & Stamp



Jaswant Kr. Singh  
Project Coordinator  
PMCBC-RSTDSP